

Black Mesa
Peacock Canyon
Northeast Union County
La Cueva
Red River
Elizabethtown
Laughlin Peak
Carrizo Mtns
Boyd Farmington
Tocito Dome
Chuska Mtns
Bromide No. 2
Petaca
Eastern San Juan Basin
Abiquiu
Ojo Caliente No. 1
Cuba
Gallina
Manganese
Picuris
Coyote Creek
Chaco Canyon
Coyote
Nambe
Mora
Rociada
Bueyeros
Nose Rock
Mesa Portales
San Jose
Church Rock
Santa Fe
El Porvenir
Elk Mtn
Polita No. 2
Gallegos
Smith Lake
Ambrosia Lake
Sabinoso
Cerrillos
Tecolote
Tecolote
Logan
Marquez
Placitas
Zuni Mtns
Laguna
Bernabe Montaño
Tijeras Canyon
Santa Rosa
Tucumcari
Red Peak
Lobo Hill
Pedernal Hills
Pastura
Romero Ranch
Estancia salt lake
Red Basin-Pietown
Hooks Ranch
Ladron Mtns
Scholle
Rayo
Cat Mtn
Council Rock
Socorro
Gallinas Mtns
Hop Canyon
Ancho
Jicarilla
Rosedale
Chupadera Mtns
White Oaks
Ojo Caliente No. 2
San Jose
Estey
Fra Cristobal
Nogal
Capitan
Mogollon
Chloride
Cuchillo
Wilcox
Salinas Peak
Engle
Tularosa
Bent
Steeple Rock
Kingston
Caballo Mtns
Sacramento
Carpenter
Rincon
Burro Mtns
White Signal
Cooks Peak
Tonuco Mtn
Lone Eagle
Lordsburg Mesa
Old Hadley
Orogrande
Bound Ranch
Victorio
Organ Mtns
San Simon
Cornudas Mtns
Eureka
Tres Hermanas
Carrizalillo
Fremont
Antelope Wells-Dog Mtns
1 San Lorenzo
2 Joyita Hills
3 Lemitar Mtns
4 Chupadero
5 Schelerville
6 San Mateo Mtns
7 Hot Springs
8 Ricolite
9 Telegraph
10 Gold Hill
11 Malone
12 Fierro-Hanover
13 Central
14 Santa Rita
Area underlain by favorable Morrison Formattion (Jurassic), depth less than 5,000 ft
Area underlain by Ogalla Formation (Tertiary)
0 43 86 172 Km
Sandstone and limestone uranium deposits
Copper-silver (±uranium) vein deposits
Beach placer sandstone uranium deposits
REE-Th-U vein deposits
Sedimentary copper deposits
Surfical uranium deposits
Volcanic-epithermal vein, volcanogenic uranium deposits
Other types of uranium deposits